



NEW.2022

DOWNLIGHT&TRACK LIGHT



Zhongshan SafeLine lighting CO.LTD

3 / F, building C, No. 8, Fulin street, Tongyi Industrial Park, Guzhen, Zhongshan City

Mobi Phone: 18024800050

Tel: 0760-88757272

E-mail: E-mafe_line@qq.com

REFINED IN CORE & SIMPLE IN FORM

二维码

SL-T04-DL
COB DOWN LIGHT



SL-T04-DL COB DOWN LIGHT
7W/10W/15W/30W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-T04-DL7W	7W	φ 95*H55mm	Φ 70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L52*W32*H24cm	5.81kg	8.3kg
SL-T04-DL10W	10W	φ 120*H48mm	φ 95mm				L54*W30*H29cm	8.1kg	11.5kg
SL-T04-DL15W	15W	φ 170*H48mm	φ 145mm				L56*W30*H38cm	10.2kg	13.7kg
SL-T04-DL30W	30W	φ 225*H48mm	φ 180mm				L47*W32*H48cm	11.4kg	14.9kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

SL-T03
COB DOWN LIGHT



SL-T03-DL COB DOWN LIGHT
7W/10W/15W/20W/30W/60W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-T03-DL7W	7W	Φ100*H47mm	φ70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L57.5*W32.5*H24cm	5kg	6.8kg
SL-T03-DL10W	10W	Φ120*H50mm	φ95mm				L54.5*W38*H28cm	10.7kg	13.3kg
SL-T03-DL15W	15W	Φ175*H50mm	φ145mm				L56.5*W35*H38cm	11.9kg	14.8kg
SL-T03-DL20W	20W	φ175*H57mm	φ145mm				L56.5*W35*H38cm	11.9kg	14.8kg
SL-T03-DL30W	30W	Φ220*H62mm	φ180mm				L48.5*W37.5*H48cm	14.2kg	17.9kg
SL-T03-DL60W	60W	φ225*H110mm	φ195mm				L65*W48*H25cm	11.7kg	15kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

SL-BX
COB DOWN LIGHT



SL-BX-60W OCTAGONAL COB DOWNLIGHT
HOTEL COMMERCIAL DIMMABLE COB DOWNLIGHT



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-BX-60W	60W	φ230*H108mm	φ215mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L67.5*W49*H25.5cm	14.5kg	17.2kg

Detail Display




Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding


Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

C104 SMD DOWN LIGHT



C104 SMD DOWN LIGHT
7W/10W/15W/30W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
C104-7W	7W	φ 95mm	φ 75mm	SMD	Aluminum	3000K / 4500K / 6500K	L52.5*W37.5*H22.5cm	6.4kg	8.7kg
C104-10W	10W	φ 105mm	φ 85mm				L67.5*W40*H24.5cm	8.4kg	10.1kg
C104-15W	15W	φ 165mm	φ 150mm				L55*W52*H35cm	10.6kg	13.3kg
C104-30W	30W	φ 220mm	φ 200mm				L57.5*W48*H47cm	9.6kg	13.4kg

Detail Display



Stainless steel buckle

High hardness, No Deformation,
Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat
dissipation



High quality lens

High quality frosted transparent material,
Soft and bright light



P5002

SURFACE DECORATION
PANEL LAMP



P5002 SURFACE MOUNTED DOWNLIGHT 30W / 40W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
P5002-R18W	18W	Φ220*H28mm	COB / SMD	Aluminum / PC	3000K / 4500K / 6500K	L49*W40.5*H25cm	11kg	13kg
P5002-R30W	30W	Φ280*H28mm				L63*W40.5*H32cm	12kg	14kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light

SL-FG-66
SMD DOWNLIGHT



SL-FC-66 LEANER SMD DOWN LIHGT
7W/10W/18W/24W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FC-66	7W	φ 95mm	φ 65mm	COB / SMD	PC+PP PLUS	3000K / 4500K / 6500K	L55*W32.5*H23cm	2.7kg	5kg
SL-FC-66	10W	φ 125mm	φ 85mm				L52.5*W33.5*H28cm	3.2kg	5.3kg
SL-FC-66	18W	φ 170mm	φ 140mm				L55*W33.5*H37cm	4.7kg	7.4kg
SL-FC-66	24W	φ 225mm	φ 185mm				L48*W33.5*H48cm	5kg	7.4kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

SL-WX-DL

COB DOWN LIGHT



SL-WX-DL COB DOWNLIGHT

7W/10W/15W/30W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-WX-DL	7W	Φ88*H44mm	Φ70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L57.5*W32.5*H24cm	7.4kg	9.5kg
SL-WX-DL	10W	Φ120*H44mm	Φ95mm				L53.5*W32.5*H27.5cm	10.7kg	13.3kg
SL-WX-DL	15W	Φ170*H44mm	Φ145mm				L56.5*W31.5*H38cm	11.9kg	14.8kg
SL-WX-DL	30W	Φ225*H44mm	Φ195mm				L48*W32.5*H48cm	13.9kg	16.6kg

Detail Display




Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding


Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

SL-MG SMD DOWN LIGHT



SL-MG SMD DOWN LIGHT 7W/10W/18W/30W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-MG	7W	Φ100mm	Φ70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L60. 5*W24*H26cm	5kg	6.3kg
SL-MG	10W	Φ125mm	Φ95mm				L52. 5*W22.5*H29cm	7.3kg	10.1kg
SL-MG	18W	Φ175mm	Φ140mm				L59*W42.5*H21cm	8.22kg	10.6kg
SL-MG	30W	Φ230mm	Φ190mm				L49*W42.5*H26cm	9.8kg	12.8kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light

SL-C102 SMD DOWNLIGHT
7W/9W/12W/18W/20W/30W/40W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-C102	7W	Φ93*H45mm	Φ80mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L65.5*W35.5*H31cm	5.5kg	8.9kg
SL-C102	9W	Φ112*H55mm	Φ95mm				L65.5*W35.5*H31cm	5.5kg	8.9kg
SL-C102	12W	Φ135*H63mm	Φ115mm				L55*W35.5*H35cm	8.2kg	11.8kg
SL-C102	18W	Φ162*72mm	Φ140mm				L55*W42*H38cm	7.9kg	11.6kg
SL-C102	20W	Φ192*H87mm	Φ170mm				L43*W42*H39cm	11.4kg	15.4kg
SL-C102	30W	Φ225*H100mm	Φ195mm				L57.5*W44*H46cm	18.4kg	22.6kg

Detail Display




Stainless steel buckle

High hardness, No Deformation,
Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat
dissipation



High quality lens

High quality frosted transparent material,
Soft and bright light

C102 SMD DOWN LIGHT

AVAILABLE IN BLACK / WHITE

SL-UT01

Modern adjustable ceiling recessed spot light

SL-UT01 COB DOWNLIGHT 7W/10W/18W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-UT10	7W	Φ65*H63mm	Φ55mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L37. 5*W37.5*W30cm	10.5kg	14kg
SL-UT10	10W	Φ88*H81mm	Φ75mm				L49*W45.5*W20.5cm	6.5kg	9kg
SL-UT10	18W	Φ110mm	Φ95mm				L37. 5*W37.5*W20cm	16.5kg	19.5kg

Detail Display




Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL-GSS01

Surface Mounted COB Downlight



SL-GSS01 COB GRILLE LIGHT SPOT LAMP

10W/10W*2/10W*3/10W*4



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-GSS01	10W	108*108*H110mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L57*W57*H24cm	24.5kg	26kg
SL-GSS01	10W*2	205*108*H110mm				L57*W50*H24cm	18kg	19.5kg
SL-GSS01	10W*3	298*108*H110mm				L62*W50*H33cm	23kg	25kg
SL-GSS01	10W*4	205*205*H110mm				L60*W44*H23cm	14.5kg	16.5kg

Detail Display




Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-GL01 COB GRILLE LIGHT SPOT LAMP

10W/10W*2/10W*3/10W*4



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-GL01	10W	87*87*H80mm	78mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L45*W47*H39cm	20kg	22.5kg
SL-GL01	10W*2	167*87*H80mm	160*87mm				L45*W47*H19cm	20kg	22kg
SL-GL01	10W*3	246*87*H80mm	235*78mm				L45*W47*H27cm	12kg	13kg
SL-GL01	10W*4	167*167*H80mm	160*150mm				L47*W36*H36cm	16kg	17.5kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL-ZX01 SPIDER MAN DOWNLIGHT

7W 12W 18W 24W patch



SL-ZX01 SPIDER MAN DOWNLIGHT

7W/12W/18W/24W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-ZX01	7W	Φ95.5mm	Φ70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L52*W38.5*H22cm	5.1kg	7.5kg
SL-ZX01	12W	Φ123.5mm	Φ95mm				L65.5*W38.5*H14.5cm	4.1kg	6.5kg
SL-ZX01	18W	Φ170mm	Φ140mm				L53.5*W38.5*H19cm	4.6kg	7kg
SL-ZX01	24W	Φ228mm	Φ180mm				L48*W38.5*H24.5cm	5.2kg	7.8kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



Surface mounted panel
Cob downlight



SL5002

SI5003 RS PANEL LAMP
7W/10W/15W/20W/30W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SI5003	7W	Φ70*H45mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L42.5*W36*H34.5cm	7.5kg	9kg
SI5003	10W	Φ90*H48mm				L52.5*W31.5*H22cm	11kg	13kg
SI5003	15W	Φ115*H50mm				L65*W34*H27.5cm	6.7kg	8.1kg
SI5003	20W	Φ115*H60mm				L65*W34*H27.5cm	6.7kg	8.1kg
SI5003	30W	Φ133*H65mm				L42.5*W31*H31cm	8.4kg	10.1kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-C106 Downlight

Simplicity Eye protection lamp

+
· ANTI VERTIGO

Simple design
Timeless classic design



C106 ROUND LED DOWNLIGHT

7W/10W/15W/20W/30W/40W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
C106	7W	φ 93*H46mm	Φ 75mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L53*W52.5*H21.5cm	18.5kg	22kg
C106	10W	Φ 109*H50mm	φ 95mm				L60.5*W30*H25cm	11.5kg	14kg
C106	15W	φ 135*H61mm	Φ 115mm				L58.5*W35.5*H30cm	12kg	15kg
C106	20W	φ 163*H66mm	Φ 140mm				L53*W37.5*H36cm	12kg	14.5kg
C106	30W	φ 192*H77mm	Φ 160mm				L43.5*W42*H42cm	11.6kg	14kg
C106	40W	φ 225*H89mm	Φ 190mm				L50.5*W48*H48cm	16kg	18.5kg

Detail Display




Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL-BZ01

HIGH LUMINOUS EFFICIENCY
AND COLOR RENDERING




SL-BZ01 COB DOWNLIGHT 7W/10W/15W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-BZ01	7W	φ 98mm	φ 70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L40*W40*H19cm	5.5kg	7.5kg
SL-BZ01	10W	φ 122mm	φ 90mm				L52.5*W50.5*H26cm	7.2kg	8.2kg
SL-BZ01	15W	φ 175mm	φ 140mm				L55*W44.5*H30cm	9.9kg	11.8kg


Detail Display



Stainless steel buckle
High hardness, No Deformation, Corrosion Resistance



Integrated molding
Integrated lamp body, efficient heat dissipation




High quality lens
High quality frosted transparent material, Soft and bright light



SL-H003

SURFACE DOWN LIGHT




SL-H003 COB SURFACE DOWN LIGHT 5W/7W/12W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-H003	5W	φ 54*H76mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L32.5*W32.5H35cm	11kg	15kg
SL-H003	7W	φ 74.3*H102mm				L50*W42.5H42.5cm	23.6kg	26.5kg
SL-H003	12W	φ 94*H161mm				L52*W52H35.5cm	19kg	22kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-E01

THICKENED ALUMINUM
COB DOWN LIGHT



SL-E01 COB DOWN LIGHT 7W/12W/20W/30W



Parameter table


Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-E01	7W	82*82*H70mm	φ 70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L58*W45.5*H28.5cm	11kg	15kg
SL-E01	12W	115*115*H63mm	φ 100mm				L53*W43*H34.5cm	14.4kg	18.8kg
SL-E01	20W	175*175*H100mm	φ 155mm				L63*W45*H39.5cm	16.4kg	21.9kg
SL-E01	30W	230*230*H125mm	φ 200mm				L68*W47*H28.5cm	15kg	18.6kg

Detail Display



Stainless steel buckle

High hardness, No Deformation,
Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat
dissipation



High quality lens

High quality frosted transparent material,
Soft and bright light



NEW
/

SL-H004
SURFACE MOUNTED
COB DOWNLIGHT



SL-H004 SURFACE MOUNTED COB DOWNLIGHT
360 ° ANGLE ADJUSTMENT



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-H004	10W	Φ90*H115mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L50*W30*H26mm	13.8kg	16.5kg

Detail Display



360 ° rotation

The irradiation angle can be freely adjusted by 360 ° rotation



Integrated molding

Integrated lamp body,efficnt heat dissipation



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-GB01 / SL-GB02

**SURFACE MOUNTED
COB DOWNLIGHT**



SL-GB01 / SL-GB02 COB DOWNLIGHT

Black and white bicolor



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-GB02-9w	9W	φ 75*H97mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L42*W42*H22cm	17kg	20kg
SL-GB02-18w	18W	φ 101*H108mm				L55*W34*H23cm	16.2kg	19kg
SL-GB01-10w	10W	φ 75*H100mm				L42*W42*H23cm	16.8kg	20kg
SL-GB01-20w	20W	φ 101*H107mm				L55*W34*H23cm	16.5kg	19.5kg

Detail Display



360 ° rotation

The irradiation angle can be freely adjusted by 360 ° rotation



Integrated molding

Integrated lamp body,efficnt heat dissipation



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-ES01

DEEP ANTI DAZZLE
AVAILABLE IN BLACK AND WHITE



SL-ES01 ANTI DAZZLE DOWNLIGHT 2W/3W/5W/7W/10W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-ES01	2W	φ 22*H32mm	φ 20mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L23.5*W23.5*H20cm	5.2kg	8kg
SL-ES01	3W	φ 38*H39mm	φ 30mm				L30*W16*H13cm	10.6kg	13kg
SL-ES01	5W	φ 45*H51mm	φ 40mm				L40*W40*H36cm	8.5kg	12kg
SL-ES01	7W	φ 57*H67mm	φ 50mm				L33.5*W33.5*H32cm	15.5kg	19kg
SL-ES01	10W	φ 70*H79mm	φ 60mm				L40*W40*H36cm		

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL-H005

SURFACE MOUNTED
COB DOWNLIGHT



SL-H005 COB DOWNLIGHT BLACK AND WHITE BICOLOR



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-H005	10W	Φ85*H100mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L47.5*W47.5*H23cm	12.6kg	15.5kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



SL-C108

Multiple colors

Any choice



SL-GB01 / SL-GB02 COB DOWNLIGHT

Black and white bicolor



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-C108-7w	7W	Φ87.6*H58mm	Φ80mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L49*W40*H32.5cm	18.5kg	21kg
SL-C108-10w	10W	Φ87.6*H58mm	Φ80mm				L49*W40*H32.5cm	18.5kg	21kg
SL-C108-15w	15W	Φ110*H72mm	Φ95mm				L48.5*W41*H25cm	13.5kg	16kg
SL-C108-20w	20W	Φ110*H72mm	Φ95mm				L48.5*W41*H25cm	13.5kg	16kg

Detail Display




Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL-GS04 COB DOWN LIGHT



SL-GS04 COB SURFACE DOWN LIGHT 5W/7W/12W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-GS04-7W*4	28W	L190*W190*H45mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L41.5*W41.5H28cm	15.5kg	18kg
SL-GS04-7W*6	42W	L290*W185*H43mm				L40*W31.5H26.5cm	12.7kg	15kg
SL-GS04-7W*8	56W	L400*W187*H45mm				L41*W40.5*H27.5cm	17.06kg	19kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



The latest
style
+

SL-H007

Rotate to adjust free irradiation



SL-H007 SURFACE MOUNTED DOWNLIGHT 30W / 40W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-H007-5W	5W	Φ70*H90mm	COB / SMD	Aluminum / PC	3000K / 4500K / 6500K	L40*W40*H21cm	13.2kg	16kg
SL-H007-5W	7W	Φ70*H125mm				L40*W40*H28cm	15.2kg	18.5kg

Detail Display



Free adjustment

Adjust the angle freely to meet the needs of different scene illumination angles



Integrated molding

Integrated lamp body,efficnt heat dissipation



High quality lens

High quality frosted transparentmaterial, Soft and bright light



The latest
style
+

SL-T06 LED DOWN LIGHT

SL-T06 COB DOWN LIGHT 10W/20W/30W



Parameter table


Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-T06	10W	Φ86*H74mm	Φ80mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L47.5*W42.5*H20cm	15.5kg	17kg
SL-T06	20W	Φ110*H95mm	Φ100mm				L60*W53*H24.5cm	20kg	22kg
SL-T06	30W	Φ135*H113mm	Φ120mm				L62.5*W44.5*H30.5cm	20kg	22kg

Detail Display



Stainless steel buckle

High hardness, No Deformation,
Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat
dissipation



High quality lens

High quality frosted transparent material,
Soft and bright light



NEW
COLLECTION


SL-SS011

Surface mounted anti dazzle



SL-SS011 SURFACE MOUNTED DOWNLIGHT

10W / 20W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-SS011-10W	10W	L66*W66*H83mm	COB / SMD	Aluminum / PC	3000K / 4500K / 6500K	L53*W53*H23cm	10.7kg	13kg
SL-SS011-20W	20W	L96*W96*H83mm				L37.5*W37.5*H20cm	17.2kg	20.5kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light



NEW — 

SL-SS012

Surface mounted anti dazzle



SL-SS012 SURFACE MOUNTED DOWNLIGHT

10W / 20W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-SS012-9W	9W	Φ72*H84mm	COB / SMD	Aluminum / PC	3000K / 4500K / 6500K	L53*W53*H20cm	10.7kg	13kg
SL-SS012-15W	15W	Φ94*H100mm				L42.5*W42.5*H20cm	17.2kg	20.5kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling



High quality lens

High quality frosted transparentmaterial, Soft and bright light




SL-DL7001

LED DOWN LIGHT

MAIN
PRODUCT
+
ALUMINUM

SL-DL7001 DOWNLIGHT


7W/10W/15W/30W



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-DL7001	7W	Φ90mm	Φ70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L55*W32.5*H23cm	6.2kg	8.2kg
SL-DL7001	10W	Φ125mm	Φ95mm				L60.5*W30*H28.5cm	9.1kg	11.3kg
SL-DL7001	15W	Φ165mm	Φ135mm				L53*W31.5*H36cm	10kg	12.8kg
SL-DL7001	30W	Φ215mm	Φ190mm				L47.5*W32.5*H47.5cm	11.8kg	14.6kg

Detail Display



Stainless steel buckle

High hardness, No Deformation, Corrosion Resistance



Integrated molding

Integrated lamp body, efficient heat dissipation



High quality lens

High quality frosted transparent material, Soft and bright light



SL5005-R10W

Available in white/black/silver



SI5005 SURFACE DOWN LIGHT

Available in white/silver/black



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-T06	10W	Φ110*H75mm	Φ80mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L47.5*W42.5*H20cm	15.5kg	17kg

Detail Display



Easy installation

Aluminum base plate,screws on the side,higher safety



Movable lamp cap

No secondary disassembly is required to protect the ceiling




High quality lens

High quality frosted transparentmaterial, Soft and bright light



NEW

SL-C110 COB DOWNLIGHT



SL-C110 COB DOWNLIGHT


Black and white bicolor




Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-C110	7W	Φ62*H81mm	Φ57mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L36*W36*H36cm	20kg	22.5kg
SL-C110	10W	Φ83*H99mm	Φ75mm				L45*W37.5*H23cm	15kg	16.5kg
SL-C110	15W	Φ105*H118mm	Φ100mm				L57.5*W35*H27cm	18kg	20kg
SL-C110	24W	Φ135*H141mm	Φ125mm				L31.5*W30*H30cm	8.5kg	10kg


Detail Display



Stainless steel buckle
High hardness, No Deformation, Corrosion Resistance



Integrated molding
Integrated lamp body, efficient heat dissipation



High quality lens
High quality frosted transparent material, Soft and bright light