




## MAGNETIC ABSORPTION LAMP

Full set of magnetic suction series  
Product display



## Zhongshan SafeLine lighting CO.LTD

3 / F, building C, No. 8, Fulin street, Tongyi Industrial Park, Guzhen, Zhongshan City

Mobil Phone: 18024800050

Tel: 0760-88757272

E-mail: E-mafe\_line@qq.com







QUALITY BETTER

# SL-MG-TRH-20

Foldable  
Magnetic grille lamp



## SL-MG-TRH-20 MAGNETIC LIGHT 6W/12W/18W/24W



### Parameter table

| Product model | Power | Diameter       | Chips     | Material | Colour                | Outer box size  | NW/kg   | GW/kg |
|---------------|-------|----------------|-----------|----------|-----------------------|-----------------|---------|-------|
| SL-MG-TRH-20  | 6W    | L108*W22*H44mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L29.5*W26*H24cm | 6.5kg   | 8kg   |
| SL-MG-TRH-20  | 12W   | L216*W22*H44mm |           |          |                       | L35*W30*H25cm   | 8.5kg   | 11kg  |
| SL-MG-TRH-20  | 18W   | L325*W22*H44mm |           |          |                       | L35*W30*H36cm   | 12kg    | 15kg  |
| SL-MG-TRH-20  | 24W   | L432*W22*H44mm |           |          |                       | L35*W30*H46.5cm | 14.55kg | 17kg  |

### Detail Display



#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Multi angle adjustment

Multi angle adjustment of irradiation  
angle,Find the right lighting angle



#### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light



SL-MG02

Grating payment  
Magnetic absorption lamp

SL-MG02-20 MAGNETIC LIGHT

6W/12W/18W/24W



Parameter table

| Product model | Power | Diameter       | Chips           | Material | Colour                            | Outer box size    | NW/kg  | GW/kg  |
|---------------|-------|----------------|-----------------|----------|-----------------------------------|-------------------|--------|--------|
| SL-MG02-20    | 6W    | L108*W16*H18mm | COB<br>/<br>SMD | Aluminum | 3000K<br>/<br>4500K<br>/<br>6500K | L30*W26.5*H14cm   | 3.6kg  | 4.5kg  |
| SL-MG02-20    | 12W   | L216*W16*H18mm |                 |          |                                   | L30*W26.5*H25cm   | 5.35kg | 7kg    |
| SL-MG02-20    | 18W   | L324*W22*H18mm |                 |          |                                   | L30*W26.5*H33.5cm | 4.5kg  | 6kg    |
| SL-MG02-20    | 24W   | L432*W22*H44mm |                 |          |                                   | L30*W26.5*H47cm   | 9.2kg  | 11.3kg |

Detail Display



Magnetic installation

Strong magnetic suction installation  
Safe and convenient



Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



High quality lens

High quality frosted transparentmaterial,  
Soft and bright light



# SL-MG03-20

Omni fund  
Magnetic absorption lamp



## SL-MG03-20 MAGNETIC LIGHT

12W/18W/24W



### Parameter table

| Product model | Power | Diameter       | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg  |
|---------------|-------|----------------|-----------|----------|-----------------------|-------------------|--------|--------|
| SL-MG03-20    | 12W   | L300*W16*H18mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L30*W26.5*H36cm   | 5.85kg | 7.5kg  |
| SL-MG03-20    | 18W   | L600*W16*H18mm |           |          |                       | L30*W26.5*H63.5cm | 10kg   | 12.5kg |
| SL-MG03-20    | 24W   | L900*W22*H18mm |           |          |                       | L30*W26.5*H93cm   | 14.8kg | 19kg   |

### Detail Display




#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light



quality

better

## SL-MG01-20-7W MAGNETIC LIGHT


Four sizes available



### Parameter table

| Product model | Power | Diameter  | Chips           | Material | Colour                            | Outer box size  | NW/kg  | GW/kg  |
|---------------|-------|-----------|-----------------|----------|-----------------------------------|-----------------|--------|--------|
| SL-MG01-7W-S  | 7W    | Φ40*300mm | COB<br>/<br>SMD | Aluminum | 3000K<br>/<br>4500K<br>/<br>6500K | L39*W34*H29cm   | 16kg   | 19.5kg |
| SL-MG01-7W-M  | 7W    | Φ40*400mm |                 |          |                                   | L44*W39*H34cm   | 19kg   | 22kg   |
| SL-MG01-7W-L  | 7W    | Φ40*500mm |                 |          |                                   | L54*W39*H34cm   | 23kg   | 25kg   |
| SL-MG01-7W-H  | 7W    | Φ40*600mm |                 |          |                                   | L64*W30*H25.5cm | 14.5kg | 18kg   |

### Detail Display




#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light

## SL-MG01-20

Magnetic absorption  
Pendant lamp



TALIAN  
DESIGN

# SL-MG-TRS-20

Folding magnet lamp



## SL-MG03-20 MAGNETIC LIGHT

12W/18W/24W



### Parameter table

| Product model | Power | Diameter       | Chips           | Material | Colour                            | Outer box size | NW/kg  | GW/kg  |
|---------------|-------|----------------|-----------------|----------|-----------------------------------|----------------|--------|--------|
| SL-MG-TRS-20  | 6W    | L132*W16*H18mm | COB<br>/<br>SMD | Aluminum | 3000K<br>/<br>4500K<br>/<br>6500K | L30*W34*H15cm  | 5.5kg  | 6.8kg  |
| SL-MG-TRS-20  | 12W   | L245*W16*H18mm |                 |          |                                   | L30*W34*H27cm  | 10.1kg | 12.5kg |
| SL-MG-TRS-20  | 18W   | L360*W22*H18mm |                 |          |                                   | L30*W34*H38cm  | 15kg   | 16kg   |

### Detail Display



#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light



# SL-79MG-20

## Magnetic track light

### SL-79MG-20 MAGNETIC LIGHT

7W/10W/15W/20W/30W



#### Parameter table

| Product model | Power | Diameter | Chips     | Material | Colour                | Outer box size    | NW/kg | GW/kg |
|---------------|-------|----------|-----------|----------|-----------------------|-------------------|-------|-------|
| SL-79MG-20    | 7W    | 47*128mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L55*W33*H25cm     | 6.8kg | 10kg  |
| SL-79MG-20    | 10W   | 57*128mm |           |          |                       | L33.5*W35*H27cm   | 6.3kg | 10kg  |
| SL-79MG-20    | 15W   | 67*138mm |           |          |                       | L38.5*W42.5*H37cm | 7.8kg | 10kg  |
| SL-79MG-20    | 20W   | 77*148mm |           |          |                       | L44*W38*H31cm     | 6.8kg | 9.5kg |
| SL-79MG-20    | 30W   | 87*148mm |           |          |                       | L48.5*W38*H31.5cm |       |       |

#### Detail Display




##### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



##### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching




##### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light




# Magnetic track strip


4 kinds of track bars for your choice




ASH BATCHING



EMBED



CEILING



SUSPENDED CEILING



**Built in transformer**

220V high voltage to 48V low voltage



**Cross angle Connect**

Connecting cross tracks



**Direct power on Parts**

220V high voltage to 48V low voltage



**Track bar Linker**

Two track bars are linked and energized



**Cross Connector**

Cross magnetic rail connector



**Triangle Connector**

Triangular magnetic rail connector



**Right angle turn Track bar**

Right angle turn rail module



**corner Connect power**

T-shaped track bar link module



ULTRA THIN — MAGNETIC ABSORPTION

# SL-MG02-35MINI

Ultra thin  
Magnetic grille lamp



## SL-MG02-35MINI MAGNETIC GRILLE LAMP 6W/12W/18W/24W



### Parameter table

| Product model  | Power | Diameter       | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg  |
|----------------|-------|----------------|-----------|----------|-----------------------|-------------------|--------|--------|
| SL-MG02-35MINI | 6W    | L129*W34*H59mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L32.5*W28*H19.5cm | 8.2kg  | 11kg   |
| SL-MG02-35MINI | 12W   | L237*W34*H59mm |           |          |                       | L37*W26.5*H25cm   | 11.3kg | 14kg   |
| SL-MG02-35MINI | 18W   | L345*W34*H59mm |           |          |                       | L37*W36*H20cm     | 12.5kg | 16kg   |
| SL-MG02-35MINI | 24W   | L453*W34*H59mm |           |          |                       | L47*W37*H20.5cm   | 16kg   | 18.5kg |

### Detail Display




#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparent material,  
Soft and bright light



# SL-84HF-35MINI

Magnetic absorption  
Ultra thin track light

## SL-84HF-35MINI MAGNETIC LIGHT

12W/18W/24W



### Parameter table

| Product model  | Power | Diameter    | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg |
|----------------|-------|-------------|-----------|----------|-----------------------|-------------------|--------|-------|
| SL-84HF-35MINI | 5W    | 35.5*80.5mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L62.5*W38*H32cm   | 14.5kg | 18kg  |
| SL-84HF-35MINI | 10W   | 44.5*97mm   |           |          |                       | L62.5*W41*H35.5cm | 20.6kg | 24kg  |
| SL-84HF-35MINI | 18W   | 65*133mm    |           |          |                       | L43*W38*H35cm     | 12kg   | 15kg  |

### Detail Display



#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient




#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparent material,  
Soft and bright light



# SL-MG01-35MINI

Magnetic absorption  
Ultra thin grille lamp



## SL-MG01-35MINI MAGNETIC GRILLE LAMP 12W/18W/24W



### Parameter table

| Product model  | Power | Diameter       | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg |
|----------------|-------|----------------|-----------|----------|-----------------------|-------------------|--------|-------|
| SL-MG01-35MINI | 10W   | L333*W35*H24mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L35*W26.5*H20cm   | 9kg    | 13kg  |
| SL-MG01-35MINI | 20W   | L599*W35*H24mm |           |          |                       | L61.5*W26.5*H20cm | 16.1kg | 19kg  |

### Detail Display



#### Magnetic installation

Strong magnetic suction installation  
Safe and convenient



#### Smooth and safe

Manual sliding lamp, low voltage safety  
voltage, no risk of touching



#### High quality lens

High quality frosted transparentmaterial,  
Soft and bright light