




Outdoor Engineering lamp

Determine the details of the process

Detail determines quality



Zhongshan SafeLine lighting CO.LTD

3 / F, building C, No. 8, Fulin street, Tongyi Industrial Park, Guzhen, Zhongshan City

Moil Phone: 18024800050

Tel:0760-88757272

E-mafe_line@qq.com



WATERPROOF

Professional waterproof technology,
and the protection grade reaches IP65.



Highlight LED Municipal circuit lamp

IP65 waterproof coefficient
No fear of bad weather

SL-LD003 LED STREET LAMP 100W/150W/200W/250W/300W/350W




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-LD003	100W	L520*W315*H80mm	SMD	Aluminum	3000K / 4500K / 6500K	L36.5*W12.5cm	4.48kg	5.2kg
SL-LD003	150W	L600*W315*H80mm				L36.5*W12.5cm	5.18kg	5.94kg
SL-LD003	200W	L680*W315*H80mm				L36.5*W12.5cm	5.96kg	6.78kg
SL-LD003	250W	L760*W315*H80mm				L36.5*W12.5cm	6.74kg	7.6kg
SL-LD003	300W	L840*W315*H80mm				L36.5*W12.5cm	7.44kg	8.4kg
SL-LD003	350W	L920*W315*H80mm				L36.5*W12.5cm	/	/

Detail Display



Thickened peach arm mouth
Strong and durable,suitable for carrying
arms of various specifications



Die cast aluminum
Die cast aluminum shell,fast heat
dissipation and anti-corrosion



High quality lens
Bright LED chip,long service life and
more uniform lighting



Blue induction"

SL-FX Square street lamp

Engineering quality / IP65 protection
Radar sensing / economical



SL-FX LED STREET LAMP

100W/150W/200W/250W/300W/350W




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FX-LD30W-S	30W	L351*W142*H76mm	SMD	Aluminum	3000K / 4500K / 6500K	/	/	/
SL-FX-LD50W-S	50/60W	L405*W166*H79mm				/	/	/
SL-FX-LD100W-S	100/120W	L484*W211*H83mm				L50.5*W24*10.5cm	2.5kg	3.5kg
SL-FX-LD150W-S	150/180W	L580*W242*H83mm				L60*W26*10.5cm	3.5kg	4.5kg
SL-FX-LD200W-S	200/240W	L685*W300*H106mm				L70*W32*12cm	5.8kg	7kg
SL-FX-LD250W-S	250W	L685*W300*H106mm				/	/	/


Detail Display



Thickened peach arm mouth
Strong and durable,suitable for carrying arms of various specifications



Die cast aluminum
Die cast aluminum shell,fast heat dissipation and anti-corrosion



High quality lens
Bright LED chip,long service life and more uniform lighting



NEW

SL-LD008

High Brightness LED
Street Lamp


SL-LD008 LED STREET LAMP
100W/150W/200W/250W/300W/400W




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-LD008-100W	100W	L455*W310*H100mm	SMD	Aluminum	3000K / 4500K / 6500K	L68*W32*H11cm	2.5kg	3.5kg
SL-LD008-150W	150W	L570*W310*H100mm				L60*W32*H11cm	3kg	4kg
SL-LD008-200W	200W	L650*W310*H100mm				L68*W32*H11cm	3.5kg	4.5kg
SL-LD008-250W	250W	L730*W310*H100mm				L78*W34*H13cm	4.1kg	5kg
SL-LD008-300W	300W	L810*W310*H100mm				L83*W32*H11cm	4.6kg	5kg
SL-LD008-350W	350W	L970*W310*H100mm				L98*W32*H11cm	5.1kg	6kg


Detail Display



Thickened peach arm mouth
Strong and durable,suitable for carrying
arms of various specifications



Die cast aluminum
Die cast aluminum shell,fast heat
dissipation and anti-corrosion



High quality lens
Bright LED chip,long service life and
more uniform lighting



NEW

SL-LD001
LED STREET LAMP
WITH INDUCTION



SL-LD001 COB STREET LAMP
50W/100W/150W/200W/350W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-LD001-50W	50W	L500W210*H70mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L53*W23*H11.5cm	1.35kg	1.85kg
SL-LD001-100W	100W	L720*W265*H80mm				L74.5*W28.5*H11.5cm	3.2kg	3.8kg
SL-LD001-150W	150W	L860*W300*H90mm				L88.5*W33.5*11.5cm	2.98kg	3.7kg
SL-LD001-200W	200W	L960*W310*H90mm				L98.5*W33.5*11.5cm	4.04kg	4.82kg
SL-LD001-250W	250W	L1110*W340*H90mm				L113.5*W36*11.5cm	5.74kg	6.66kg

Detail Display



Degree of protection
IP 65 waterproof and dustproof,no fear Of wind and rain



Die cast aluminum
Die cast aluminum shell,fast heat dissipation and anti-corrosion



High quality lens
Bright LED chip,long service life and more uniform lighting



NEW

Suitable for harsh environments

/
Thunderstorm Protection



SL-LD004 SMD STREET LAMP

100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-LD004-100W	100W	L550W265*H70mm	SMD	Aluminum	3000K / 4500K / 6500K	/	4.5kg	5.7kg
SL-LD004-150W	150W	L550*W265*H80mm				/	4.5kg	5.7kg
SL-LD004-200W	200W	L735*W350*H90mm				/	8.3kg	9.3kg
SL-LD004-300W	300W	L735*W350*H90mm				L74.5*W31*15cm	8.3kg	9.3kg

Detail Display



Thickened peach arm mouth

Strong and durable,suitable for carrying arms of various specifications



Die cast aluminum

Die cast aluminum shell,fast heat dissipation and anti-corrosion



High quality lens

Bright LED chip,long service life and more uniform lighting



NEW



SL-LD002

Sword shaped
smd street lamp

SL-LD002 SMD STREET LAMP

100W/150W/200W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-LD002-100W	100W	L700W245*H90mm	SMD	Aluminum	3000K / 4500K / 6500K	L71*W25.5*H13cm	1.9kg	2.48kg
SL-LD002-150W	150W	L772*W280*H90mm				L78.5*W29*H13cm	2.5kg	3.18kg
SL-LD002-200W	200W	L835*W330*H90mm				L84.5*W34*H13cm	3.68kg	4.46kg

Detail Display



Thickened peach arm mouth

Strong and durable,suitable for carrying arms of various specifications



Die cast aluminum

Die cast aluminum shell,fast heat dissipation and anti-corrosion



High quality lens

Bright LED chip,long service life and more uniform lighting

Born outdoors



High intensity LED
Projection lamp



FI004 HIGH INTENSITY PROJECTION LAMP
50W/100W/150W/200W/300W/400W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
FL004-50W	50W	L198*W46*H188mm	SMD	Aluminum	3000K / 4500K / 6500K	L43.5*W31*H27.5cm	10.9kg	13kg
FL004-100W	100W	L228*W35*H238mm				L51.5*W38*H33.5cm	19kg	21.9kg
FL004-150W	150W	L280*W50*H291mm				L42*W30.5*H37.5cm	14.4kg	16.5kg
FL004-200W	200W	L320*W50*H330mm				L45*W30.5*H40.5cm	19.1kg	21.5kg
FL004-300W	300W	L350*W50*H361mm				L48*W34.5*H42.6cm	24kg	26kg
FL004-400W	400W	L670*W375*H50mm				L66.5*W39.5*H8cm	9.6kg	11.4kg

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



HIGH POWER ♦ HIGHLIGHT CAST LIGHT

Waterproof & dustproof




FL 006 HIGHLIGHT PROJECTION LAMP 50W/100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
FL006-50W	50W	L215W189*H58mm	SMD	Aluminum	3000K / 4500K / 6500K	L43*W35*H26cm	12.4kg	14.6kg
FL006-100W	100W	L273*W242*H61mm				L38*W32.5*H27.5cm	10.6kg	13.7kg
FL006-150W	150W	L329*W311*H66mm				L50.5*W38*H34.5cm	3.4kg	4.1kg
FL006-200W	200W	L420*W344*H68mm				L45*W36*H11cm	4.9kg	5.7kg
FL006-300W	300W	L463*W45*H69mm				L49*W39.5*H13cm	6.4kg	7.3kg

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience

SL-JZ01



LARGE ANGLE BEAM

Square/road/street...

+

Protect against dust, even if it enters the dust,
it will not cause damage to the equipment.
It can spray water at any angle without damage to the light cabinet



SL-JZ01 HIGHLIGHT PROJECTION LAMP
100W/200W/300W/400W/500W/600W/800W/1000W



Parameter table


Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-JZ01-FL100W	100W	L385*W285*H160mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L39*W29*H16cm	/	/
SL-JZ01-FL200W	200W	L425*W320*H190mm				L44*W33*H22cm	/	/
SL-JZ01-FL300W	300W	L455*W320*H200mm				L47*W33*H23cm	/	/
SL-JZ01-FL400W	400W	L525*W320*H185mm				L62*W33*H24cm	/	/
SL-JZ01-FL500W	500W	L525*W325*H220mm				L62*W33*H24cm	/	/
SL-JZ01-FL600W	600W	L660*W320*H220mm				L69*W34*H23cm	/	/
SL-JZ01-FL800W	800W	L800*W320*H220mm				L81*W33*H24cm	/	/
SL-JZ01-FL1000W	1000W	L960*W320*H220mm				L98*W33*H24cm	/	/

Detail Display



Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



SL-CTJ

Rectangular mirror
Projection lamp



SL-CTJ PROJECTION LAMP


50W/100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-CTJ-FL50W	50W	L204*W201*H50mm	SMD	Aluminum	3000K / 4500K / 6500K	L44.5*W32.5*H27cm	16.4kg	18.1kg
SL-CTJ-FL100W	100W	L206*W210*H60mm				L54.5*W33*H28cm	17kg	18.6kg
SL-CTJ-FL150W	150W	L280*W325*H55mm				L53.5*W40*H34.5cm	22kg	23.7kg
SL-CTJ-FL200W	200W	L302*W307*H85mm				L53.5*W40*H34.5cm	22kg	23.7kg
SL-CTJ-FL300W	300W	L495*W445*H100mm				L53*W27.5*H46.5cm	14kg	16kg

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



Professional LED Engineering projection lamp

All aluminum die-casting material
Efficient heat dissipation and safety




SL-FL010 WAVE TYPE FLOODLIGHT 50W/100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL010-50W	50W	L181*W151*H33mm	SMD	Aluminum	3000K / 4500K / 6500K	L52.5*W35.5*H21cm	11kg	12.8kg
SL-FL010-100W	100W	L257*W211*H40mm				L46*W27.5*H29cm	12kg	13.5kg
SL-FL010-150W	150W	L310*W256*H43mm				L54*W27.5*H33.5cm	17.4kg	19.4kg
SL-FL010-200W	200W	L360*W296*H43mm				L38.5*W30*H32.5cm	23kg	26.5kg
SL-FL010-300W	300W	L410*W245*H48mm				L43*W33*H37cm	16.85kg	20.7kg

Detail Display



Degree of protection
IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum
Thickened die cast aluminum lamp body, adjustable angle




Preferred LED chip
High quality LED chips give you a better lighting experience



+ PROTECT:IP65

LED HIGHLIGHTS CAST LIGHT

W
A
T
E
R
P
R
O
O
F




SL-FL015 HIGHLIGHT PROJECTION LAMP 50W/100W/150W/200W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL015-50W	50W	L400W205*H50mm	SMD	Aluminum	3000K / 4500K / 6500K	L58.5*W20.5*26cm	13kg	15kg
SL-FL015-100W	100W	L300*W245*H70mm				L37.5*W25.5*32cm	10.5kg	13kg
SL-FL015-150W	150W	L450*W290*H70mm				L39.5*W36*30cm	17kg	19kg
SL-FL015-200W	200W	L400*W325*H78mm				L42*W41*34cm	15kg	17kg

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



IP67 WATERPROOF

Suitable for harsh environments

Strong corrosion resistance

High heat dissipation efficiency and long service life



SL-FL015 HIGHLIGHT PROJECTION LAMP

50W/100W/150W/200W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL016-50W	50W	L247*W195*H40mm	SMD	Aluminum	3000K / 4500K / 6500K	L50.5*W35*21.8cm	/	/
SL-FL016-100W	100W	L320*W240*H42mm				L48.5*W33*26.2cm	/	/
SL-FL016-150W	150W	L370*W272*H43mm				L39*W39*29.2cm	/	/
SL-FL016-200W	200W	L420*W320*H44mm				L43.5*W31.5*34.5cm	/	/

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



Highlight waterproof Led floodlight

High luminous efficiency, low light attenuation
Fast heat dissipation and long service life



SL-FL017 HIGH INTENSITY PROJECTION LAMP 50W/100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL017-50W	50W	L245*W205*H42mm	SMD	Aluminum	3000K / 4500K / 6500K	L50.5*W29*H25.5cm	10.9kg	13.5kg
SL-FL017-100W	100W	L296*W255*H48mm				L43.5*W34.5*H30cm	14.3kg	16.5kg
SL-FL017-150W	150W	L345*W282*H52mm				L45.5*W39.5*H33cm	20kg	22.5kg
SL-FL017-200W	200W	L402*W325*H55mm				L45.5*W35*H38cm	17.8kg	20.5kg
SL-FL017-300W	300W	L540*W350*H55mm				L51*W35*H40.5cm	23.5kg	25.5kg

Detail Display



Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



Highlight waterproof Led floodlight

Fearless and rainproof, good quality can stand the test.
Multi scene application, high-quality LED chip,
thickened aluminum lamp body, efficient heat dissipation


IP66 PROTECTION

Rainproof and lightning protection



SL-FL018 HIGH INTENSITY PROJECTION LAMP

10W/20W/30W/50W/100W/150W/200W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL018-10W	10W	L109*W99*H33mm	SMD	Aluminum	3000K / 4500K / 6500K	L49*W25*H28cm	17.5kg	21kg
SL-FL018-20W	20W	L128*W113*H32mm				L49*W28*H32cm	17.5kg	21kg
SL-FL018-30W	30W	L169*W145*H34mm				L49*W34.3*H20.7cm	17.5kg	21kg
SL-FL018-50W	50W	L239*W199*H42mm				L58*W23*H27.2cm	13.5kg	16kg
SL-FL018-100W	100W	L268*W238*H44mm				L53*W27.3*H30.3cm	20.5kg	23kg
SL-FL018-150W	150W	L309*W274*H52mm				L37.5*W31*H34.2cm	15.5kg	18kg
SL-FL018-200W	200W	L344*W308*H58mm				L37.5*W34.7*H38cm	15.5kg	18kg

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain




Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



SL-CW-FL300W LED FLOODLIGHT

HIGHLIGHT WATERPROOF

- High density tempered glass mask
- High impact strength
- Good thermal stability
- Explosion proof, compression resistance and high temperature resistance
- In addition, tempered glass has high light transmittance
- Direct light
- Clear and bright



SL-CW-FL HIGHLIGHT PROJECTION LAMP 300W/400W/600W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-CW-FL300W	300W	L400*W300*H190mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L410*W310*H270cm	/	/
SL-CW-FL400W	400W	L530*W300*H190mm				L540*W310*H270cm	/	/
SL-CW-FL600W	600W	L570*W410*H210mm				L580*W430*H290cm	/	/

Detail Display




Degree of protection

IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip

High quality LED chips give you a better lighting experience



IP66

SL-FL003-10W

LARGE ANGLE BEAM

Square/road/street...




+

Protect against dust, even if it enters the dust,
it will not cause damage to the equipment.
It can spray water at any angle without damage to the light cabinet.

HIGHLIGHT PROJECTION LAMP

SL-FL003-10W



Parameter table:

Wattage 10W	Size 112*113*34	Protect IP66
Light color	Light source Ju'can 1229	Material Aluminum+GLASS
Pf value ≥0.5	Lumen 110-120lm/W	Voltage 85-265V
CRI / Ra 80	Gross weight 14.5	Color box size 12.5*4.5*13
Guarantee 2Years		

Detail display:



Degree of protection

IP65 waterproof and dustproof,
No fear of wind and rain



Die cast aluminum

Thickened die cast aluminum lamp
body, adjustable angle



Preferred LED chip

High quality LED chips give you a
better lighting experience



SL-JZ-FL50W
/
COB FLOODLIGHT
50W/100W/150W/200W/300W/400W/500W/600W



SL-JZ HIGHLIGHT PROJECTION LAMP
50W/100W/200W/300W/400W/600W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-JZ-FL50W	50W	L241*W201*H58mm	COB / SMD	Aluminum	3000K / 4500K / 6500K	L44*W37.5*H27cm	13.2kg	15.3kg
SL-JZ-FL100W	100W	L297*W245*H65mm				L53.5*W37.5*H33cm	18.6kg	21.1kg
SL-JZ-FL200W	200W	L343*W297*H65mm				L37*W32.5*H32.5cm	8.8kg	10.3kg
SL-JZ-FL300W	300W	L420*W315*H75mm				L45*W36.5*H11cm	11.2kg	13.7kg
SL-JZ-FL400W	400W	L528*W346*H85mm				L56*W25.5*H38.5cm	11.2kg	12.7kg
SL-JZ-FL600W	600W	L810*W320*H95mm				L83.5*W36.5*H12.5cm	12kg	12.7kg

Detail Display



Degree of protection
IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum
Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip
High quality LED chips give you a better lighting experience



SL-FL008 ALUMINUM+GLASS

50W / 100W / 200W / 400W / 600W

HIGHLIGHT · RAINPROOF



SL-FL008 HIGH INTENSITY PROJECTION LAMP 50W/100W/150W/200W/300W



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
SL-FL008-50W	50W	L250*W70*H19mm	SMD	Aluminum	3000K / 4500K / 6500K	L51*W33.5*H40cm	17.8kg	20.5kg
SL-FL008-100W	100W	L282*W80*H22mm				L46*W35*H30.5cm	12.8kg	15.1kg
SL-FL008-200W	200W	L390*W290*H100mm				L40*W36.5*H30.5cm	12kg	14kg
SL-FL008-400W	400W	L535*W330*H100mm				L56.5*W23.5*H35cm	8.6kg	12.6kg
SL-FL008-600W	600W	L750*W345*H117mm				L74.5*W34.5*H12cm	7.9kg	9.4kg


Detail Display



Degree of protection
IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum
Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip
High quality LED chips give you a better lighting experience



HIGHLIGHT PROJECTION LAMP

/

Thickened die-casting aluminum lamp body,
high-efficiency heat dissipation,
thus reducing the light failure caused by heating and extending the service life



FI007 HIGHLIGHT PROJECTION LAMP 100W/150W/200W




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Outer box size	NW/kg	GW/kg
FL007-100W	100W	/	SMD	Aluminum	3000K / 4500K / 6500K	L46*W22.5*H29cm	14.5kg	16.3kg
FL007-150W	150W	230*300mm				L34*W27.5*H30cm	14.5kg	16.3kg
FL007-200W	200W	300*300mm				L34*W33.5*H34.5cm	14.5kg	14kg


Detail Display



Degree of protection
IP 65 waterproof and dustproof, No fear of wind and rain



Die cast aluminum
Thickened die cast aluminum lamp body, adjustable angle



Preferred LED chip
High quality LED chips give you a better lighting experience