




## TRACK LIGHT

Various styles available

Multi angle adjustable to meet your irradiation needs




## Zhongshan SafeLine lighting CO.LTD

3 / F, building C, No. 8, Fulin street, Tongyi Industrial Park, Guzhen, Zhongshan City

Moil Phone: 18024800050

Tel:0760-88757272

E-mafe\_line@qq.com







000



SL-TR001  
TRACK LIGHT  
10W / 20W / 30W



SL-TR001 LED TRACK LIGHT  
10W/20W/30W



Parameter table

| Product model | Power | Diameter        | Chips     | Material | Colour                | Outer box size | NW/kg  | GW/kg  |
|---------------|-------|-----------------|-----------|----------|-----------------------|----------------|--------|--------|
| SL-TR001      | 10W   | φ 50*133*H149mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L44*W32*H32cm  | 17.5kg | 20.5kg |
| SL-TR001      | 20W   | φ 65*158*H158mm |           |          |                       | L38*W35*H30cm  | 18.5kg | 20kg   |
| SL-TR001      | 30W   | φ 76*180*H183mm |           |          |                       | L43*W40*H18cm  | 11.2kg | 13kg   |

Detail Display



90° Adjustment

Up and down can be flexibly adjusted by 90°



360° rotation

The lamp axis can rotate 360° left and right



High quality lens

High quality frosted transparent material, Soft and bright light





SL-82HF  
LED TRACK LIGHT

20W / 40W



SL-82HF LED TRACK LIGHT  
AVAILABLE IN BLACK AND WHITE



Parameter table

| Product model | Power | Diameter     | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg  |
|---------------|-------|--------------|-----------|----------|-----------------------|-------------------|--------|--------|
| SL-82HF       | 20W   | 65*85*H135mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L47*W30*H20cm     |        |        |
| SL-82HF       | 40W   | 70*85*H135mm |           |          | 3000K / 4500K / 6500K | L47*W39.5*H35.5cm | 14.8kg | 18.3kg |

Detail Display



90° Adjustment

Up and down can be flexibly adjusted by 90°



360° rotation

The lamp axis can rotate 360° left and right



High quality lens

High quality frosted transparent material, Soft and bright light





NEW PATTERN  
2022

# SL-78HF LED TRACK LIGHT

10W / 20W / 30W / 40W



## SL-78HF LED TRACK LIGHT

10W/20W/30W/40W



### Parameter table


| Product model | Power | Diameter | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg  |
|---------------|-------|----------|-----------|----------|-----------------------|-------------------|--------|--------|
| SL-78HF       | 10W   | 59*104mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L57.5*W34*H29.5cm | 4.85kg | 7.1kg  |
| SL-78HF       | 20W   | 78*110mm |           |          |                       | L67.5*W27.5*H33cm | 4.62kg | 6.7kg  |
| SL-78HF       | 30W   | 89*128mm |           |          |                       | L50*W46.5*H35.5cm | 6.93kg | 9.3kg  |
| SL-78HF       | 40W   | /        |           |          |                       | L50.5*W50*H37.5cm | 10.9kg | 13.6kg |

### Detail Display



#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation

The lamp axis can rotate 360° left and right



#### High quality lens

High quality frosted transparent material, Soft and bright light





# SL-79HF LED Track Light

7W / 12W / 20W / 30W / 40W

## SL-79HF LED TRACK LIGHT 7W/12W/20W/30W/40W



### Parameter table

| Product model | Power | Diameter | Chips     | Material | Colour                | Outer box size | NW/kg  | GW/kg |
|---------------|-------|----------|-----------|----------|-----------------------|----------------|--------|-------|
| SL-79HF       | 7W    | 47*128mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L60*W32*H28cm  | 11.5kg | 14kg  |
| SL-79HF       | 12W   | 57*128mm |           |          |                       | L52*W35*H33cm  | 10.5kg | 13kg  |
| SL-79HF       | 20W   | 67*138mm |           |          |                       | L38*W43*H37cm  | 13kg   | 16kg  |
| SL-79HF       | 30W   | 77*148mm |           |          |                       | L44*W38*H31cm  | 8.5kg  | 11kg  |
| SL-79HF       | 40W   | 87*148mm |           |          |                       | L48*W38*H32cm  | 10.5kg | 13kg  |

### Detail Display



#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation

The lamp axis can rotate 360° left and right



#### High quality lens

High quality frosted transparent material, Soft and bright light





SL-81HF  
LED Track Light  
10W / 20W / 30W

SL-81HF LED TRACK LIGHT  
10W/20W/30W



Parameter table

| Product model | Power | Diameter  | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg |
|---------------|-------|-----------|-----------|----------|-----------------------|-------------------|--------|-------|
| SL-81HF       | 10W   | 50*H100mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L57*W43*H29.5cm   | 18kg   | 21kg  |
| SL-81HF       | 20W   | 60*H135mm |           |          |                       | L63.5*W34*H33.5cm | 19.5kg | 22kg  |
| SL-81HF       | 30W   | 80*H150mm |           |          |                       | L44*W37.5*H37.5cm | 13kg   | 15kg  |

Detail Display



90° Adjustment

Up and down can be flexibly adjusted by 90°



360° rotation

The lamp axis can rotate 360° left and right



High quality lens

High quality frosted transparent material, Soft and bright light





2022 NEW



# SL-RR012 COB TRACK LIGHT

10W / 18W



## SL-RR012 COB TRACK LIGHT 10W/18W



### Parameter table

| Product model | Power | Diameter      | Chips     | Material | Colour                | Outer box size | NW/kg  | GW/kg  |
|---------------|-------|---------------|-----------|----------|-----------------------|----------------|--------|--------|
| SL-RR012      | 10W   | 180*155*H50mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L40*W34*H32cm  | 7.8kg  | 10.5kg |
| SL-RR012      | 18W   | 198*155*H50mm |           |          |                       | L43*W34*H32cm  | 11.3kg | 14kg   |

### Detail Display



#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation

The lamp axis can rotate 360° left and right



#### High quality lens

High quality frosted transparent material, Soft and bright light





2022 NEW



SL-RR012  
SMD TRACK LIGHT

10W / 18W



SL-RR012 SMD TRACK LIGHT  
10W/18W



Parameter table

| Product model | Power | Diameter      | Chips     | Material | Colour                | Outer box size | NW/kg  | GW/kg  |
|---------------|-------|---------------|-----------|----------|-----------------------|----------------|--------|--------|
| SL-RR012      | 10W   | 180*155*H50mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L40*W34*H32cm  | 7.8kg  | 10.5kg |
| SL-RR012      | 18W   | 198*155*H50mm |           |          |                       | L43*W34*H32cm  | 11.3kg | 14kg   |

Detail Display



90° Adjustment

Up and down can be flexibly adjusted by 90°



360° rotation

The lamp axis can rotate 360° left and right



High quality lens

High quality frosted transparent material, Soft and bright light





NEW

# SL-TR002

THICKENED ALUMINUM  
TRACK LIGHT



## SL-TR002 LED TRACK LIGHT 5W/7W/10W



### Parameter table

| Product model   | Power | Diameter  | Cut hole size | Chips           | Material | Colour                            | Outer box size | NW/kg  | GW/kg |
|-----------------|-------|-----------|---------------|-----------------|----------|-----------------------------------|----------------|--------|-------|
| SL-TR002 5W BK  | 5W    | Φ70*143mm | Φ60           | COB<br>/<br>SMD | Aluminum | 3000K<br>/<br>4500K<br>/<br>6500K | L40*W40*H32cm  | 5.3kg  | 11kg  |
| SL-TR002 7W BK  | 7W    | Φ70*160mm | Φ60           |                 |          |                                   | L40*W40*H34cm  | 11.4kg | 14kg  |
| SL-TR002 10W BK | 10W   | Φ70*188mm | Φ60           |                 |          |                                   | L42*W40*H40cm  | 14kg   | 17kg  |

### Detail Display




#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation

The lamp axis can rotate 360° left and right



#### High quality lens

High quality frosted transparent material, Soft and bright light





SL-TR006  
TRACK LIGHT

- Up and down 90 ° adjustment
- 360 ° left and right rotation
- Metal snap mounting at both ends

GOOD LIGHT AND COLOF  
•  
•  
•

SL-TR006 LED TRACK LIGHT  
7W/12W/24W



Parameter table

| Product model | Power | Diameter      | Cut hole size | Chips           | Material | Colour                            | Outer box size  | NW/kg | GW/kg  |
|---------------|-------|---------------|---------------|-----------------|----------|-----------------------------------|-----------------|-------|--------|
| SL-TR006      | 7W    | Φ84*H132mm    | Φ78           | COB<br>/<br>SMD | Aluminum | 3000K<br>/<br>4500K<br>/<br>6500K | L47.5*W29*H29cm | 13kg  | 14.5kg |
| SL-TR006      | 12W   | Φ98*138mm     | Φ93           |                 |          |                                   | L54*W31*H23.5cm | 8.5kg | 11.5kg |
| SL-TR006      | 24W   | 185*100*135mm | 230*120mm     |                 |          |                                   | L58.5*W40*H21cm | 8.1kg | 10.5kg |

Detail Display



90° Adjustment

Up and down can be flexibly adjusted by 90°



360° rotation

The lamp axis can rotate 360° left and right



High quality lens

High quality frosted transparent material, Soft and bright light





# SL-83HF-40W BK

360 ° No dead angle polishing  
Flexible adjustment of lighting angle

## SL-83HF TRACK LIGHT MULTI ANGLE ADJUSTMENT



### Parameter table

| Product model | Power | Diameter     | Chips     | Material | Colour                | Outer box size  | NW/kg  | GW/kg |
|---------------|-------|--------------|-----------|----------|-----------------------|-----------------|--------|-------|
| SL-83HF       | 40W   | 90*220*200mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L47.5*W45*H42mm | 23.5kg | 25kg  |

### Detail Display




#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation

The lamp axis can rotate 360° left and right




#### High quality lens

High quality frosted transparent material, Soft and bright light





Protecting  
Eyesight



# SL-80HF

LED track spotlights  
Deep anti dazzle design

## SL-80HF LED TRACK LIGHT

10W/20W/30W



### Parameter table

| Product model | Power | Diameter  | Chips     | Material | Colour                | Outer box size    | NW/kg  | GW/kg  |
|---------------|-------|-----------|-----------|----------|-----------------------|-------------------|--------|--------|
| SL-80HF       | 10W   | 68*H145mm | COB / SMD | Aluminum | 3000K / 4500K / 6500K | L64.5*W36.5*H52cm | 19kg   | 22.5kg |
| SL-80HF       | 20W   | 75*H168mm |           |          |                       | L68.5*W41.5*H37cm | 17.5kg | 21kg   |
| SL-80HF       | 30W   | 85*H178mm |           |          |                       | L46*W37.5*H39cm   | 11kg   | 13.5kg |

### Detail Display




#### 90° Adjustment

Up and down can be flexibly adjusted by 90°



#### 360° rotation


The lamp axis can rotate 360° left and right





#### High quality lens

High quality frosted transparentmaterial, Soft and bright light






## ACCESSORIES INSTALLATION DIAGRAM




1.Connector 2.T-joint 3.Connector 4.L-joint 5.Soft connector 6.Cross connector


## RAIL INSTALLATION




1.Track installation



2.Connecting wires



3.Install the lamp into the track



4.Installation is complete