




2023 **NEW** LED DOWNLIGHT



Zhongsan SafeLine lighting CO.LTD

3 / F, building C, No. 8, Fulin street, Tongyi Industrial Park, Guzhen, Zhongshan City

Moil Phone: 180 2203 7651

Tel: 0760-88757272


E-mail: info@safelineco.com
safeline2004@gmail.com





SL-C129

LED HIGH BRIGHTNESS DOWN LIGHT



Bidirectional 30 ° adjustable

Product Introduction



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-C129	3W/5W 7W/10W	Φ83MM	Φ75MM	SMD Sanan 3030 chips	Aluminium + PC	3000K / 4000K / 6500K	120°	90-100LM/w	54*33.5*21cm
SL-C129	12W/15W	Φ105MM	Φ95MM						38.6*33.5*24.5cm

Detail Display





SL-C130

LED HIGH BRIGHTNESS DOWN LIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-C130	3W/5W 7W/10W	Φ83MM	Φ75MM	COB	Aluminium + PC	3000K / 4000K / 6500K	120°	90-100LM/w	54*33.5*21cm
SL-C130	12W/15W	Φ105MM	Φ95MM						38.6*33.5*24.5cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL




HIGH BRIGHTNESS LED CHIP



SL-UT13

LED CONCEALED DOWNLIGHT



Product Introduction




Parameter table

Product model	Power	Size	Hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT13-R	5-7W	Φ 65*H52mm	Φ 55mm	COB	Aluminium + PC	3000K / 4000K / 6500K	12° 24° 36° 60°	90-100LM/W	52*21.5*37cm
SL-UT13-R	12W	Φ 85*H63mm	Φ 75mm						55*23*32cm
SL-UT13-R	20W	Φ 105*H77mm	Φ 95mm						60*24.5*41cm
SL-UT13-S	5-7W	L65*65*H52mm	L54*54mm						52*21.5*37cm
SL-UT13-S	5-7W*2	L65*126*H52mm	L54*114mm						43*43*32cm
SL-UT13-S	5-7W*3	L65*186*H52mm	L54*175mm						43*43*46cm
SL-UT13-S	5-7W*4	L126*126*H52mm	L115*115mm						77*32*38cm
SL-UT13-S	12W	L85*85*H63mm	L75*75mm						55*23*32cm
SL-UT13-S	12W*2	L85*167*H63mm	L72*155mm						39.5*37.5*47.5cm
SL-UT13-S	12W*3	L85*252*H63mm	L72*240mm						52*32*54cm
SL-UT13-S	12W*4	L165*165*H63mm	L150*150mm						42*39*58cm
SL-UT13-S	20W	L105*105*H77mm	L95*95mm						60*24.5*41cm
SL-UT13-S	20W*2	L105*208*H77mm	L95*195mm						77*46*32cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-UT16

LED CONCEALED SPOTLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT16-R	12W	Φ85*H52mm	Φ75mm	COB	Aluminium + PC	3000K / 4000K / 6500K	8° 15° 24° 36° 55°	90-100LM/W	55*23*32cm
SL-UT16-S	12W	L85*85*H52mm	L75*75mm						55*23*32cm
SL-UT16-S	12W*2	L85*170*H52mm	L75*160mm						39.5*37.5*47.5cm
SL-UT16-S	12W*3	L85*247*H52mm	L75*233mm						52*32*54cm

Detail Display





SL-UT17

LED CONCEALED SPOTLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT17-R	7-10W	Φ 85*H65mm	Φ 75mm	COB	Aluminium + PC	3000K / 4000K / 6500K	15° 24° 36°	90-100LM/W	55*23*32cm
SL-UT17-R	18W	Φ 105*H78mm	Φ 95mm						60*24.5*41cm
SL-UT17-S	7-10W	L85*85*H65mm	L75*75mm						55*23*32cm
SL-UT17-S	7-10W*2	L85*170*H65mm	L75*160mm						39.5*37.5*47.5cm
SL-UT17-S	7-10W*3	L85*247*H66mm	L75*233mm						52*32*54cm
SL-UT17-S	18W	L105*105*H78mm	L95*95mm						60*24.5*41cm
SL-UT17-S	18W*2	L105*210*H78mm	L95*200mm						77*46*32cm

Detail Display






SL-UT18

LED CONCEALED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Cut hole size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT18	7W	90*86*H58mm	80*80mm	SMD	Aluminium + PC	3000K / 4000K / 6500K	120°	90-100LM/W	51.5*37.5*21.5cm
SL-UT18	7W*2	170*86*H58mm	80*160mm						37.5*32*37.5cm
SL-UT18	7W*3	248*86*H58mm	80*240mm						42*37.5*27.5cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP




SL-H036

SURFACE MOUNTED FOLDING DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H036	9W-12W	Φ85* H85MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	42.5*42.5*24cm
SL-H036	15W-18W	Φ100* H110MM						55*33.5*25.4cm
SL-H036	9-12W*2	Φ195*85* H85MM						49*26*38cm
SL-H036	9-12W*3	Φ195*85* H85MM						49*26*38cm

Detail Display





SL-H042

LED SURFACE MOUNTED DOWNLIGHT


Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H042	3W/5W 7W/10W 12W/15W	Φ70* H185MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	41.5*41.5*40.5cm

Detail Display





SL-H043

LED SURFACE MOUNTED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H043	3W/5W 7W/10W	245* H35MM	COB	Aluminium + PC	3000K / 4000K / 6500K	120°	90-100LM/W	23.5*19.5*27.5cm
SL-H043	3W/5W 7W/10W	399* H35MM						23.5*19.5*42.5cm
SL-H043	3W/5W 7W/10W	245*245*H45MM						52.5*28.5*27.5cm
SL-H043	3W/5W 7W/10W	245*383*H45MM						40.5*28.5*27.2cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-H044

LED SURFACE MOUNTED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H044	24W	Φ230*H35MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	45*25.5*26cm

Detail Display





SL-H045

LED SURFACE MOUNTED DOWNLIGHT

Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H045	3W/5W 7W/10W	Φ75*H55MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	42.5*35*18cm
SL-H045	12W/15W	Φ95*H55MM						52.5*31.5*22cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-H046

LED SURFACE MOUNTED DOWNLIGHT




Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H046	3W/5W 7W/10W	Φ75*H55MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	42.5*35*18cm
SL-H046	12W/15W	Φ95*H55MM						52*31.5*22cm
SL-H046	7W	67*61*H55MM	SMD					40*36.5*16cm

Detail Display





SL-H047

LED SURFACE MOUNTED DOWNLIGHT




Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H047	8W	67*61*H59MM	SMD	Aluminium + PC	3000K / 4000K / 6500K	24°	90-100LM/W	40*36.5*16cm

Detail Display





SL-H048

LED SURFACE MOUNTED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H048-36W-Y	36W	405*405*H34MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	43*44.5*43cm
SL-H048-24W-L	24W	249*249*H34MM						52.5*44.5*27.5cm
SL-H048-24W-I	24W	430*55*H34MM						27.5*23.5*46.5cm
SL-H048-12W-I	12W	249*58*H34MM						44.5*21.5*28cm
SL-H048-24W-Z	24W	200*200*H34MM						43.5*23.5*23cm
SL-H048-24W-C	24W/36W	365*150*H33MM						34.5*23.5*39.5cm

Detail Display





SL-H049

LED HIGH BRIGHTNESS DOWN LIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H049	12W	125*125*H45MM	COB	Aluminium + PC	3000K / 4000K / 6500K	24°	90-100LM/W	28.5*28.5*15.5cm

Detail Display





SL-H050

LED SURFACE MOUNTED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H050	24W	435*73*H35mm	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	34.5*23.5*46.3cm
SL-H050	36W	365*150*H33mm						34.5*23.5*39.5cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-H051

Ceiling surface installation/track installation



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H05-10W-T	10W	Φ70*H95mm	COB	Aluminium + PC	3000K / 4000K / 6500K	15° 24° 36°	90-100LM/W	39.5*24*32cm
SL-H05-20W-T	20W	Φ90*H110mm						58.5*35.5*30.5cm
SL-H05-30W-T	30W	Φ110*H115mm						58.5*35.5*30.5cm
SL-H05-10W-H	10W	Φ70*H95mm						39.5*24*32cm
SL-H05-20W-H	20W	Φ90*H110mm						58.5*35.5*30.5cm
SL-H05-30W-H	30W	Φ110*H115mm						58.5*35.5*30.5cm
SL-H05-40W-H	40W	Φ115*H145mm						59*24.5*34.5cm
SL-H05-10W*2-H	20W	Φ70*H95mm						42*42*23.5cm
SL-H05-20W*2-H	40W	Φ90*H110mm						49*26*38cm

Detail Display





SL-H031

LED SURFACE MOUNTED DOWNLIGHT



Product Introduction




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H031	8W	130*110*H55MM	SMD	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	30*30.5*34.5cm
SL-H031	2*8W	260*110*H38MM						60*34.5*31.5cm
SL-H031	4*8W	260*220*H38MM						50.5*34.5*31.5cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-P5010

CONCEALED PANEL LIGHT




Product Introduction



Parameter table

Product model	Power	Diameter	Hole Size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-P5010	7-9W	Φ90mm	Φ45-75mm	SMD	Aluminium + PC	3000K / 4000K / 6500K	80-90°	90-100LM/W	57.5*22*26cm
SL-P5010	18W	Φ120mm	Φ45-105mm						67.5*25*31cm
SL-P5010	24W	Φ170mm	Φ45-155mm						56.5*23*41cm
SL-P5010	36W	Φ220mm	Φ45-205mm						46*23*48cm

Detail Display





SL-UT05

RECESSED GRID LIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Hole Size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT05	10W	88*88mm	75mm	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	55*52*20cm
SL-UT05	10W*2	168*88mm	165*75mm						56*55*20.5cm
SL-UT05	10W*3	247*88mm	240*75mm						55*50*24cm
SL-UT05	10W*4	168*168mm	160-160mm						55*37*20cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-C118

RECESSED DOWNLIGHT



Product Introduction



Parameter table

Product model	Power	Diameter	Hole Size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-C118	7-10W	Φ85*H55MM	Φ75MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	53*25.5*21.5cm
SL-C118	12-15W	Φ110*H67MM	Φ95MM						60.5*30*25cm
SL-C118	20-28W	Φ135*H81MM	Φ120MM						58.5*35.5*30cm
SL-C118	30-35W	Φ160*H96MM	Φ140MM						53*37.5*36cm
SL-C118	45-50W	Φ185*H109MM	Φ160MM						43.5*42*42cm
SL-C118	60-65W	Φ215*H130MM	Φ190MM						50.5*48*48cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL




HIGH BRIGHTNESS LED CHIP



SL-H006

Kazilan surface mounted downlight




Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H006	7W	Φ65*H100MM	COB	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	37.5*37.5*21cm
SL-H006	12W	Φ90*H120MM						50*40*27cm
SL-H006	20W	Φ110*H130MM						60*36.5*29cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-P5009

Small whirlwind square/round

Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H034-S	8W	62*80cm	SMD	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	63*37*36cm
SL-H034-R	12W	40*80cm	COB					63*37*36cm

Detail Display





SL-P5009

Surface mounted panel light



Product Introduction




Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-P5009	24W	Φ170*H45MM	SMD	Aluminium + PC	3000K / 4000K / 6500K	120-140°	90-100LM/W	37*27.5*37cm
SL-P5009	36W	Φ220*H45MM						47*27.5*47cm
SL-P5009	48W	Φ300*H45MM						53*32*32.5cm

Detail Display





SL-UT08

Star chain edgeless downlight

Product Introduction



Parameter table

Product model	Power	Diameter	Hole Size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-UT08	8W	Φ 85*H46mm	Φ 75mm	SMD	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	55*23*32cm
SL-UT08	8W	Φ 115*H48mm	Φ 80mm						55*23*32cm
SL-UT08	8W	L85*L85*H46mm	75*75mm						55*23*32cm
SL-UT08	8W	L110*L110*H46mm	75-75mm						55*23*32cm

Detail Display





SL-H029

Star chain surface mounted downlight



Product Introduction



Parameter table

Product model	Power	Diameter	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-H029-R	8W	Φ84*H90mm	SMD	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	55*23*32cm
SL-H029-S	8W	L83*L83*H92mm						55*23*32cm

Detail Display



HIGH QUALITY ALUMINUM MATERIAL



HIGH BRIGHTNESS LED CHIP



SL-T025

LED ROTATING DOWNLIGHTT



Product Introduction



Parameter table

Product model	Power	Diameter	Hole Size	Chips	Material	Colour	Beam angle	Light effect	Outer box size
SL-T025	3W	Φ70MM	Φ75MM	SMD	Aluminium + PC	3000K / 4000K / 6500K	8-60°	90-100LM/W	58*40*17cm
SL-T025	5W	Φ80MM	Φ95MM						45*30*19cm
SL-T025	7W	Φ90MM	Φ120MM						50*30*21cm
SL-T025	9W/12W	Φ110MM	Φ140MM						48*30*25cm
SL-T025	18W/21W	Φ145MM	Φ160MM						47*30*32cm
SL-T025	18W/21W	Φ160MM	Φ190MM						35*30*35cm

Detail Display

