




2024 NEW

SURFACE DECORATION TRACK SERIES



Zhongshan SafeLine lighting CO.LTD

📍 Building 2, horizon park, no. 8, lefeng 2nd road, henglan town, zhongshan city, guangdong

📞 Moil Phone: 180 2203 7651

☎ Tel: 0760-88757272

✉ E-mail: info@safelineco.com
safeline2004@gmail.com



SL-TRW01-R

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black



Product Center

Model: SL-TRW01-R	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW01-R	55*100mm	Gu10 light source		8kg	9.16kg	13.8*6.1*10.8mm	50	56.5*33*29.5mm
SL-TRW01-R10W	55*100mm	≥0.5	80LM/W	9.1KG	10.7KG	13.8*6.1*10.8mm	50	56.5*33*29.5mm
SL-TRW01-R20W	75*148mm	≥0.5	80LM/W	10.3KG	12.1KG	15.8*8.1*16.3mm	30	49.5*43*34.5mm
SL-TRW01-R30W	85*158mm	≥0.9	80LM/W	9.02KG	10.8KG	17.5*9.2*17mm	20	48.5*37*36mm



SL-TRW01-S

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black



Product Center

Model: SL-TRW01-S	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW01-S	55*100mm	Gu10 light source		10.6kg	12.2kg	13.8*6.1*10.8mm	50	56.5*33*29.5mm
SL-TRW01-S10W	55*100mm	≥ 0.5	80LM/W	11.7KG	13.3KG	13.8*6.1*10.8mm	50	56.5*33*29.5mm
SL-TRW01-S20W	75*148mm	≥ 0.5	80LM/W	12.4KG	13.8KG	15.5*8*15.5mm	30	48.5*42.5*33mm
SL-TRW01-S30W	85*158mm	≥ 0.9	80LM/W	11.1KG	12.8KG	17.2*9.1*17mm	20	48*36.5*36mm



- 1.Can be rotated 330°
- 2.90° adjustment up and down
- 3.Can be rotated 360°

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black

SL-TRW02-R



Product Center

Model: SL-TRW02-R	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW02-R	55*100mm	Gu10 light source		11.5kg	13.1kg	13.1*7.2*17.2mm	50	68*38.5*36.5mm
SL-TRW02-R10W	55*100mm	≥0.5	80LM/W	12.6KG	14.2KG	13.1*7.2*17.2mm	50	68*38.5*36.5mm
SL-TRW02-R20W	75*148mm	≥0.5	80LM/W	13.4KG	15.2KG	15.2*14*15.5mm	30	72.5*47.5*33mm
SL-TRW02-R30W	85*158mm	≥0.9	80LM/W	11.9KG	13.6KG	19*15*17.2mm	20	77.5*39.5*36.5mm



1.Can be rotated 330°
2.90° adjustment up and down
3.Can be rotated 360°

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black

SL-TRW02-S



Product Center

Model: SL-TRW02-S	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW02-S	55*100mm	Gu10 light source		12kg	13.6kg	13.7*13.5*14.7mm	40	70*29*31.5mm
SL-TRW02-S10W	55*100mm	≥0.5	80LM/W	12.9KG	14.1KG	13.7*13.5*14.7mm	40	70*29*31.5mm
SL-TRW02-S20W	75*148mm	≥0.5	80LM/W	10.3KG	11.5KG	17.2*16*19.8mm	20	82.5*36.5*22mm
SL-TRW02-S30W	85*158mm	≥0.9	80LM/W	8.4KG	9.6KG	19*17.3*21mm	12	54*39.5*23mm



SL-TRW03-R

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black

1.90° adjustment up and down



Product Center

Model: SL-TRW03-R	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW03-R	55*100mm	Gu10 light source		10.1kg	11.7kg	6.5*6.3*15.2mm	50	35*34*32.5mm
SL-TRW03-R10W	55*100mm	≥0.5	80LM/W	11.2KG	12.8KG	6.5*6.3*15.2mm	50	35*34*32.5mm
SL-TRW03-R20W	75*148mm	≥0.5	80LM/W	8.3KG	10.1KG	8.2*8.2*19.8mm	20	43.5*35*22mm
SL-TRW03-R30W	85*158mm	≥0.9	80LM/W	10.7KG	12.4KG	9.3*9.3*20.7mm	20	49*39.5*22.5mm



SL-TRW03-S

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black



Product Center

Model: SL-TRW03-S	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW03-S	55*100mm	Gu10 light source		13kg	14.6kg	6.5*6.3*15.2mm	50	35*34*32.5mm
SL-TRW03-S10W	55*100mm	≥ 0.5	80LM/W	14.1KG	15.7KG	6.5*6.3*15.2mm	50	35*34*32.5mm
SL-TRW03-S20W	75*148mm	≥ 0.5	80LM/W	10.1KG	11.9KG	8.2*8.2*19.8mm	20	43.5*35*22mm
SL-TRW03-S30W	85*158mm	≥ 0.9	80LM/W	12.4KG	14.1KG	9.3*9.3*20.7mm	20	49*39.5*22.5mm



SL-TRW04-R

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black



Product Center

Model: SL-TRW04-R	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°
Chip: BridgeLux zhengzhua ng 1835 chips		

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW04-R	55*100mm	Gu10 light source		4.9kg	6.5kg	6.5*6.3*10.8mm	50	35*34*23.5mm
SL-TRW04-R10W	55*100mm	≥ 0.5	80LM/W	6KG	7.6KG	6.5*6.3*10.8mm	50	35*34*23.5mm
SL-TRW04-R20W	75*148mm	≥ 0.5	80LM/W	8.9KG	10.7KG	8.2*8.2*15.7mm	30	43.5*27*33.5mm
SL-TRW04-R30W	85*158mm	≥ 0.9	80LM/W	7.5KG	8.2KG	9.2*9.2*16.7mm	20	48.5*20*35.5mm



SL-TRW04-S

Can choose colour

- ✓ Black
- ✓ White
- ✓ Gold Plated
- ✓ Silver Plated
- ✓ Wood Black



Product Center

Model: SL-TRW04-S	Material: Aluminum	Lens: Pc
Drive: Isolated driver	Voltage: AC85-265V	Ra: ≥90
Light color: 3000K / 4500K / 6500K	Warranty: Five-year warranty	Beam angle: 24°

Chip: BridgeLux zhengzhua ng 1835 chips

Product size

Model	Size	PF	Lumen	Net weight	Gross weight	Color box size	Qty	Carton size
SL-TRW04-S	55*100mm	Gu10 light source		8.7kg	10.3kg	6.5*6.3*10.8mm	50	35*34*23.5mm
SL-TRW04-S10W	55*100mm	≥ 0.5	80LM/W	9.8KG	11.4KG	6.5*6.3*10.8mm	50	35*34*23.5mm
SL-TRW04-S20W	75*148mm	≥ 0.5	80LM/W	11.2KG	13KG	8.2*8.2*15.7mm	30	43.5*27*33.5mm
SL-TRW04-S30W	85*158mm	≥ 0.9	80LM/W	9.3KG	11KG	9.2*9.2*16.7mm	20	48.5*20*35.5mm