




2023 NEW
FEEL FREE TO MATCH



REFINED IN CORE & SIMPLE IN FORM

Zhongshan SafeLine lighting CO.LTD

3/F,building C,NO.8,Fulin street,Tongyi Industrial Park,Guzhen,Zhongshan City
Moil Phone:+86 180 2203 7651
Tel:0760-88757272
E-Mail:info@safelineco.com / safeline2004@gmail.com






SL-RSR-AG07

Embedded face ring



SL-RSR-AG07

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG07	Φ88*H40mm	Φ75mm	100	48*26*38cm	Kg	Kg

Particulars



Plastic face ring

Plastic face ring, available in black and white




Stainless steel spring

Stainless steel spring, solid and durable, not easy to deform



Free disassembly

The light source can be disassembled freely to protect the ceiling



SL-RSR-AG11

Plastic downlight face ring

SL-RSR-AG11

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG11	Φ93*H54mm	Φ85mm	100	L37.5*W37.5*H32.5cm	4Kg	7Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG06

Embedded face ring



SL-SSR-AG06

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG06	88*88*H40mm	75*75mm	100	L61*W51*H27cm	Kg	Kg

Particulars



Plastic face ring

Plastic face ring, available in black and white



Stainless steel spring

Stainless steel spring, solid and durable, not easy to deform



Free disassembly

The light source can be disassembled freely to protect the ceiling




SL-SSR-AG03

Feel free to match the lamp cup



SL-SSR-AG03

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG03	L93*W93*H29mm	70*70mm	100	L50*W40*H25cm	4.8kg	6.6kg
SL-RSR-AG03	L173*W93*H29mm	80*155mm	100	L59*W21*H37cm	9.2kg	11kg
SL-RSR-AG03	L252*W93*H29mm	80*235mm	100	L60*W21*H53cm	13kg	15.6kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG13

Beveled reflector ring



SL-SSR-AG13

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSR-AG13	93*93*H70mm	85*85mm	100	L52.5*W42.5*H37.5cm	4.3kg	7kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform




Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSSR-AG04

Square embedded face ring



SL-SSR-AG04

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSR-AG04	94*94*H52mm	85*85mm	100	L50*W34*H41cm	4.3kg	6.2kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG14

Downlight face ring



SL-RSR-AG14

Embedded face ring, optional matching lamp cup



Parameter table

Color/CCT	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
Glod+White Stripe	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	3.8kg	6kg
Glod+Black stripe	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	3.5kg	6kg
GLOD+WHITE	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	4kg	6.5kg

Particulars



Plastic face ring

Plastic face ring, available in black and white



Stainless steel spring

Stainless steel spring, solid and durable, not easy to deform



Free disassembly

The light source can be disassembled freely to protect the ceiling



SL-RSR-AG02

Silver down lamp face ring



SL-RSR-AG02

Embedded face ring, optional matching lamp cup



Parameter table

Color/CCT	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
Silvery+White Stripe	Φ 90*H30mm	Φ 75mm	100	L50*W40.5*H17.5cm	3.8kg	6kg
Silvery+Black stripe	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	3.5kg	6kg
Silvery+WHITE	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	4kg	6.5kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG12

Black brushed face ring



SL-SSR-AG12

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSR-AG12	93*93*H35mm	75*75mm	100	L61*W51*H27cm	4.8Kg	7.5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG07

Downlight plastic face ring



SL-SSR-AG07

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSR-AG07	83*83*H37mm	81*81mm	100	L47.5*W37*H25cm	3.6Kg	5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG17

Plastic deep anti-glare ring

SL-RSR-AG17
Embedded face ring, optional matching lamp cup



Parameter table

Color/CCT	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
White+white reflective cup	253*93*H25mm	235*75mm	20	L34.5*W22.5*H17.5cm	2.5kg	4kg
White+silver reflective cup	253*93*H25mm	235*75mm	20	L34.5*W22.5*H17.5cm	2.5kg	4kg
White+black reflective cup	253*93*H25mm	235*75mm	20	L34.5*W22.5*H17.5cm	2.5kg	5.5kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG13

Plastic deep anti-glare ring



SL-RSR-AG13

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG13*2	173*93*H25mm	155*75mm	40	L42.5*W38.5*H17.5cm	3kg	5.5kg
SL-RSR-AG13*2	173*93*H25mm	155*75mm	40	L42.5*W38.5*H17.5cm	3.5kg	6kg
SL-RSR-AG13*3	253*93*H25mm	235*75mm	20	L34.5*W22.5*H17.5cm	11.5kg	14kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Surface decoration
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG18

Downlight plastic face ring



SL-RSR-AG18

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG18	253*93*H25mm	235*75mm	20	L34.5*W22.5*H17.5cm	2.5Kg	5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG15

Downlight plastic face ring

SL-RSR-AG15

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG15	Φ 90*H25mm	Φ 75mm	100	L50*W40.5*H17.5cm	3.3Kg	5.5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG10
Beveled reflector ring

SL-RSR-AG10
Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG10	Φ 93*H70mm	Φ 80mm	100	L52.5*W52.5*H37.5cm	3.8Kg	6.5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG09

Round plastic face ring

SL-RSR-AG09
Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG09	Φ 120mm	Φ 100mm	100	L65*W52.5*H37.5cm	6Kg	7.5Kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSSR-AG05

Feel free to match the lamp cup



SL-SSSR-AG05

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSSR-AG05	Φ 96*100mm	/	50	L52*W52*H24cm	0kg	0kg
SL-SSSR-AG05	96*96*100mm	/		L52*W52*H24cm	0kg	0kg

Particulars



Plastic face ring
Plastic face ring, available in black and white



Surface decoration
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG05

Metal face ring, multi-color optional

SL-SSR-AG05

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSR-AG05	130*130*H35mm	0mm	40	L38*W29*H29cm	0kg	0kg
SL-SSR-AG05	130*225*H35mm	0mm	40	L48*W38*H29cm	0kg	0kg
SL-SSR-AG05	130*320*H35mm	0mm	20	L48*W38*H34cm	0kg	0kg

Particulars



Iron face ring

Iron face ring, high hardness, strong and durable



Stainless steel spring

Stainless steel spring, solid and durable, not easy to deform



Free disassembly

The light source can be disassembled freely to protect the ceiling



SL-RSR-AG08

Iron face ring



SL-RSR-AG08

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG08	Φ 100*H53mm	Φ 75mm	100	L55*W44.5*H32.5cm	7.5Kg	10.5Kg

Particulars



Iron face ring
Iron face ring, high hardness, strong and durable



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSSR-AG06

Feel free to match the lamp cup



SL-SSSR-AG05

Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-SSSR-AG06	L110*W110*H100mm	Surface decoration	40	L55*W48*H25cm	0kg	0kg
SL-SSSR-AG06	L205*W110*H100mm		30	L60*W44*H37cm	0kg	0kg
SL-SSSR-AG06	L305*W110*H100mm		8	L48*W32*H25cm	0kg	0kg
SL-SSSR-AG06	L205*W205*H100mm		8	L43.5*W43.5*H25cm	0kg	0kg

Particulars



Iron face ring
Iron face ring, high hardness, strong and durable



Surface decoration
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-RSR-AG04

Feel free to match the lamp cup

SL-RSR-AG04
Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG04	Φ88*55mm	Φ75mm	100	L47.5*W38.5*H32.5cm	0kg	0kg

Particulars



Iron face ring
Iron face ring, high hardness, strong and durable



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling



SL-SSR-AG10

Down lamp iron face ring



SL-SSR-AG10
Embedded face ring, optional matching lamp cup



Parameter table

Model	Cut hole size	Diameter	Number of packages	Outer box size	NW/kg	GW/kg
SL-RSR-AG10	90*90*H25mm	80*80mm	100	L50*W40.5*H17.5cm	6.5kg	9kg

Particulars



Iron face ring
Iron face ring, high hardness, strong and durable



Stainless steel spring
Stainless steel spring, solid and durable, not easy to deform



Free disassembly
The light source can be disassembled freely to protect the ceiling